Neuroscience Letters, 188 (1995) 209–211
Elsevier Science Ireland Ltd.

AUTHOR INDEX

Aftabuddin, M., see Islam, N., 159
Agnati, L.F., see Martire, M., 9
Akaike, A., see Ueda, M., 137
Alonso-Llamazares, A., see Zamanillo, D., 183
Angeretti, N., see Del Bo, R., 70
Asou, H., see Kobayashi, S., 191

Baba, A., see Kondo, K., 140
Babbedge, R., see Thompson, S.W.N., 121
Bach, K.B., see Ling, L., 25
Beggah, S., see Sorg, O., 109
Bertolini, A., see Vergoni, A.V., 29
Besson, J.-M., see Buritova, J., 175
Bisset, G.W., Fairhall, K.M., The effect of cholinoceptor agonists and neurotoxins on the release of vasopressin in the rat in relation to the subunit composition of the cholinoceptor, 77
Blumenthal, H.T., see Premachandra, B.N., 65
Buritova, J., Honoré, P., Chapman, V., Besson, J.-M., Concurrent reduction of inflammation and spinal Fos-LI neurons by systemic diclofenac in the rat, 175
Burke, D., see Inglis, J.T., 97

Calvo, P., see Zamanillo, D., 183
Casanova, E., see Zamanillo, D., 183
Chapman, V., see Buritova, J., 175
Chen, Z., Fujii, S., Ito, K.-I., Kato, H., Kaneko, K., Miyakawa, H., Activation of dopamine D1 receptors enhances long-term depression of synaptic transmission induced by low frequency stimulation in rat hippocampal CA1 neurons, 195
Chepkova, A.N., Doreulee, N.V., Trofimov, S.S., Gudasheva, T.A., Ostrovskaya, R.U., Skrebitsky, V.G., Nootropic compound L-pyroglutamyl-D-alanine-amide restores hippocampal long-term potentiation impaired by exposure to ethanol in rats, 163
Cheyne, D., Weinberg, H., Gaetz, W., Jantzen, K.J., Motor cortex activity and predicting side of movement: neural network and dipole analysis of pre-movement magnetic fields, 81
Chinchetru, M.A., see Zamanillo, D., 183
Collinge, J., see Houlden, H., 202
Cotman, C.W., see Kesslak, J.P., 117
Crepel, F., see Law-Tho, D., 125
Crespi, F., England, T., Ratti, E., Trist, D.G., Carbon fibre micro-electrodes for concomitant in vivo electrophysiological and voltammetric measurements: no reciprocal influences, 33
Crook, R., see Houlden, H., 202

Davidson, C., Stamford, J.A., The effect of paroxetine on 5-HT efflux in the rat dorsal raphe nucleus is potentiated by both 5-HT_{1A} and 5-$HT_{1B/D}$ receptor antagonists, 41
De Waele, C., see Lapeyre, P.N.M., 155
Del Bo, R., Angeretti, N., Lucca, E., Grazia De Simoni, M., Forloni, G., Reciprocal control of inflammatory cytokines, IL-1 and IL-6, and β-amyloid production in cultures, 70
Desce, J.M., see Law-Tho, D., 125
Doreulee, N.V., see Chepkova, A.N., 163
Dray, A., see Thompson, S.W.N., 121
Duelli, R., Schröck, H., Seller, H., Kuschinsky W., The importance of baroreceptor afferents for the decrease in brain glucose utilization during stimulation of the rostroventrolateral medulla of the rat, 179

Duff, K., see Houlden, H., 202

Emson, P.C., see Harrington, K.A., 17
Endo, Y., see Kuramoto, H., 171
Endoh, R., see Shirasawa, T., 37
England, T., see Crespi, F., 33

Fairhall, K.M., see Bisset, G.W., 77
Feria, M., see Niedbala, B., 57
Feria, M., see Troncoso, E., 167
Filaferro, M., see Vergoni, A.V., 29
Forloni, G., see Del Bo, R., 70
Freund, W.-D., Grieshop, B., Neumann, U., Reddig, S., Glutamate-induced calcium responses in rat primary cortical cultures are potentiated by co-administration of glutamate transport inhibitors, 61
Fujii, S., see Chen, Z., 195
Fujishima, M., see Nakane, H., 151
Fuxe, K., see Martire, M., 9

Gaetz, W., see Cheyne, D., 81
Gandevia, S.C., see Inglis, J.T., 97
Grazia De Simoni, M., see Del Bo, R., 70
Grieshop, B., see Freund, W.-D., 61
Gudasheva, T.A., see Chepkova, A.N., 163

Hardy, J., see Houlden, H., 202
Harrington, K.A., Schindler, M., Humphrey, P.P.A., Emson, P.C., Expression of messenger RNA for somatostatin receptor subtype 4 in adult rat brain, 17
Hashimoto, H., see Kondo, K., 140
Heaton, M.B., Paiva, M., Swanson, D.J., Walker, D.W., Prenatal ethanol exposure alters neurotrophic activity in the developing rat hippocampus, 132
Hoheisel, U., Sander, B., Mense, S., Blockade of nitric oxide synthase differentially influences background activity and electrical excitability in rat dorsal horn neurones, 143
Honoré, P., see Buritova, J., 175
Hori, A., see Sekiyama, N., 101
Hori, Y., see Islam, N., 159
Houlden, H., Crook, R., Duff, K., Hutton, M., Collinge, J., Roques, P., Rossor, M., Hardy, J., Apolipoprotein E alleles but neither apolipoprotein B nor apolipoprotein AI/CIII alleles are associated with late onset, familial Alzheimer's disease, 202
Humphrey, P.P.A., see Harrington, K.A., 17
Hutton, M., see Houlden, H., 202

Ibayashi, S., see Nakane, H., 151
Ikuta F., see Iwanaga, K., 147
Inglis, J.T., Wilson, L.R., Gandevia, S.C., Burke, D., Efferent responses to twitch tests used in identifying human muscle afferents, 97
Inoue, H.K., see Kobayashi, S., 191
Inoue, Y., see Takayama, C., 89
Islam, N., Aftabuddin, M., Moriwaki, A., Hori, Y., Detection of DNA damage induced by apoptosis in the rat brain following incomplete ischemia, 159
Isobe, Y., Muramatsu, K., Day–night differences in the contents of vasoactive intestinal peptide, gastrin-releasing peptide and Arg-

vasopressin in the suprachiasmatic nucleus of rat pups during postnatal development, 45
Ito, K.-I., see Chen, Z., 195
Ito, M., see Sawamura, S., 1
Itoh, N., see Tsujimoto, K., 105
Iwanaga, K., Takahashi, H., Yamada, M., Ikuta F., Synaptic terminals wrapped in the somatic cytoplasm of pigmented neurons in the human locus ceruleus, 147

Jantzen, K.J., see Cheyne, D., 81
Jean, A., see Rao, H., 21

Kaneko, K., see Chen, Z., 195
Kashiwayanagi, M., see Taniguchi, M., 5
Kato, H., see Chen, Z., 195
Kesslak, J.P., Yuan, D., Neeper, S., Cotman, C.W., Vulnerability of the hippocampus to kainate excitotoxicity in the aged, mature and young adult rat, 117
Kessler, J.-P., see Rao, H., 21
Kitanaka, J., see Kondo, K., 140
Kobayashi, S., Miura, M., Asou, H., Inoue, H.K., Ohye, C., Uyemura, K., Grafts of genetically modified fibroblasts expressing neural cell adhesion molecule L1 into transected spinal cord of adult rats, 191
Kobayashi, S., see Sekiyama, N., 101
Kondo, K., Hashimoto, H., Kitanaka, J., Sawada, M., Suzumura, A., Marunouchi, T., Baba, A., Expression of glutamate transporters in cultured glial cells, 140
Küçük, M., see Öztaş, B., 53
Kuraishi, Y., see Ueda, M., 137
Kuramoto, H., Endo, Y., Galanin-immunoreactive nerve terminals innervating the striated muscle fibers of the rat esophagus, 171
Kurihara, K., see Taniguchi, M., 5
Kurisu K., see Wakisaka, S., 49
Kuschinsky W., see Duelli, R., 179

Lapeyre, P.N.M., De Waele, C., Glycinergic inhibition of spontaneously active guinea-pig medial vestibular nucleus neurons in vitro, 155
Lauweryns, J.M., see Seldeslagh, K.A., 85
Law-Tho, D., Desce, J.M., Crepel, F., Dopamine favours the emergence of long-term depression versus long-term potentiation in slices of rat prefrontal cortex, 125
Lees, G.J., Leong, W., The sodium-potassium ATPase inhibitor ouabain is neurotoxic in the rat substantia nigra and striatum, 113
Leong, W., see Lees, G.J., 113
Levers, T., see Thompson, S.W.N., 121
Ling, L., Bach, K.B., Mitchell, G.S., Phrenic responses to contralateral spinal stimulation in rats: effects of old age or chronic spinal hemisection, 25
Lucca, E., see Del Bo, R., 70

Magistretti, P.J., see Sorg, O., 109
Mann, D.M.A., see Pickering-Brown, S.M., 205
Martire, M., Pistritto, G., Mores, N., Agnati, L.F., Fuxe, K., Presynaptic A_2-adrenoceptors and neuropeptide Y Y_2 receptors inhibit [^{3}H]noradrenaline release from rat hypothalamic synaptosomes via different mechanisms, 9
Marunouchi, T., see Kondo, K., 140
Marunouchi, T., see Sawamura, S., 1
McHatters, G.R., Scham, R.G., Bird viruses in multiple sclerosis: combination of viruses or Marek's alone?, 75
McTigue, D.M., Rogers, R.C., Pancreatic polypeptide stimulates gastric motility through a vagal-dependent mechanism in rats, 93
Mense, S., see Hoheisel, U., 143
Minami, M., see Tsujimoto, K., 105
Mishina, M., see Takayama, C., 89
Mishina, M., see Yamakura, T., 187
Mitchell, G.S., see Ling, L., 25
Miura, M., see Kobayashi, S., 191
Miyakawa, H., see Chen, Z., 195
Mizuta, S., see Sekiyama, N., 101
Mores, N., see Martire, M., 9
Mori, H., see Shirasawa, T., 37
Moriwaki, A., see Islam, N., 159
Muramatsu, K., see Isobe, Y., 45

Nagatsu, I., see Sawamura, S., 1
Nagatsu, T., see Sawamura, S., 1
Naidu, R.G., see Premachandra, B.N., 65
Nakagawa, S., see Takayama, C., 89
Nakane, H., Ooboshi, H., Ibayashi, S., Yao, H., Sadoshima, S., Fujishima, M., Isradipine, a calcium channel blocker, attenuates the ischemia-induced release of dopamine but not glutamate in rats, 151
Neary, D., see Pickering-Brown, S.M., 205
Neeper, S., see Kesslak, J.P., 117
Neumann, U., see Freund, W.-D., 61
Niedbala, B., Sánchez, A., Feria, M., Nitric oxide mediates neuropathic pain behaviour in peripherally denervated rats, 57
Nishizaki, T., Sumikawa, K., Direct action of 4-β-phorbol-12,13-dibutyrate (PDBu) on nicotinic acetylcholine receptor channel independent of protein kinase C activation, 129

Obata, T., Yamanaka Y., Intracranial microdialysis of salicylic acid to detect hydroxyl radical generation by monoamine oxidase inhibitor in the rat, 13
Ohye, C., see Kobayashi, S., 191
Ooboshi, H., see Nakane, H., 151
Ostrovskaya, R.U., see Chepkova, A.N., 163
Ovalle, S., see Zamanillo, D., 183
Owen, F., see Pickering-Brown, S.M., 205
Oyama, T., see Ueda, M., 137
Ozaki, K., see Tsujimoto, K., 105
Öztaş, B., Küçük, M., Influence of acute arterial hypertension on blood–brain barrier permeability in streptozocin-induced diabetic rats, 53

Paiva, M., see Heaton, M.B., 132
Pellerin, L., see Sorg, O., 109
Pickering-Brown, S.M., Siddons, M., Mann, D.M.A., Owen, F., Neary, D., Snowden J.S., Apolipoprotein E allelic frequencies in patients with lobar atrophy, 205
Pistritto, G., see Martire, M., 9
Premachandra, B.N., Naidu, R.G., Williams, I.K., Blumenthal, H.T., Cerebral vascular amyloid deposition in rabbits with induced thyroglobulin immunity, 65

Rao, H., Jean, A., Kessler, J.-P., Postnatal changes in glutamate binding in the lower medulla of the rat, 21
Ratti, E., see Crespi, F., 33
Reddig, S., see Freund, W.-D., 61
Rodríguez, M., see Troncoso, E., 167
Rogers, R.C., see McTigue, D.M., 93

Roques, P., see Houlden, H., 202
Rossor, M., see Houlden, H., 202

Sadoshima, S., see Nakane, H., 151
Sakamoto, K., see Shirasawa, T., 37
Sakimura, K., see Yamakura, T., 187
Sánchez, A., see Niedbala, B., 57
Sander, B., see Hoheisel, U., 143
Sandrini, M., see Vergoni, A.V., 29
Sasaki, Y., see Wakisaka, S., 49
Satoh, M., see Tsujimoto, K., 105
Satoh, M., see Ueda, M., 137
Sawada, M., see Kondo, K., 140
Sawada, M., see Sawamura, S., 1
Sawamura, S., Sawada, M., Ito, M., Nagatsu, T., Nagatsu, I., Suzumura, A., Shibuya, M., Sugita, K., Marunouchi, T., The bipotential glial progenitor cell line can develop into both oligodendrocytes and astrocytes in the mouse forebrain, 1
Scham, R.G., see McHatters, G.R., 75
Schindler, M., see Harrington, K.A., 17
Schröck, H., see Duelli, R., 179
Sekiyama, N., Mizuta, S., Hori, A., Kobayashi, S., Prostaglandin E_2 facilitates excitatory synaptic transmission in the nucleus tractus solitarii of rats, 101
Seldeslagh, K.A., Lauweryns, J.M., Spatial and temporal distribution of 7B2 in the pulmonary diffuse neuroendocrine system of the cat, 85
Seller, H., see Duelli, R., 179
Shibuya, M., see Sawamura, S., 1
Shimoji, K., see Yamakura, T., 187
Shirasawa, T., Endoh, R., Zeng, Y.-X., Sakamoto, K., Mori, H., Protein L-isoaspartyl methyltransferase: developmentally regulated gene expression and protein localization in the central nervous system of aged rat, 37
Siddons, M., see Pickering-Brown, S.M., 205
Skrebitsky, V.G., see Chepkova, A.N., 163
Snowden J.S., see Pickering-Brown, S.M., 205
Sorg, O., Pellerin, L., Stolz, M., Beggah, S., Magistretti, P.J., Adenosine triphosphate and arachidonic acid stimulate glycogenolysis in primary cultures of mouse cerebral cortical astrocytes, 109
Stamford, J.A., see Davidson, C., 41
Stolz, M., see Sorg, O., 109
Sugita, K., see Sawamura, S., 1
Sumikawa, K., see Nishizaki, T., 129
Suzumura, A., see Kondo, K., 140
Suzumura, A., see Sawamura, S., 1
Swanson, D.J., see Heaton, M.B., 132

Takahashi, H., see Iwanaga, K., 147
Takayama, C., Nakagawa, S., Watanabe, M., Mishina, M., Inoue, Y., Light- and electron-microscopic localization of the glutamate receptor channel $\delta 2$ subunit in the mouse Purkinje cell, 89
Taniguchi, M., Kashiwayanagi, M., Kurihara, K., Intracellular injection of inositol 1,4,5-trisphosphate increases a conductance in membranes of turtle vomeronasal receptor neurons in the slice preparation, 5
Thompson, S.W.N., Babbedge, R., Levers, T., Dray, A., Urban L., No evidence for contribution of nitric oxide to spinal reflex activity in the rat spinal cord in vitro, 121
Tomberg, C., Transcutaneous magnetic stimulation of descending tracts in the cervical spinal cord in humans, 199
Trist, D.G., see Crespi, F., 33
Trofimov, S.S., see Chepkova, A.N., 163
Troncoso, E., Rodríguez, M., Feria, M., Light-induced arousal affects simultaneously EEG and heart rate variability in the rat, 167
Tsuji, N., see Tsujimoto, K., 105
Tsujimoto, K., Tsuji, N., Ozaki, K., Minami, M., Satoh, M., Itoh, N., Expression of insulin receptor-related receptor mRNA in the rat brain is highly restricted to forebrain cholinergic neurons, 105

Ueda, M., Oyama, T., Kuraishi, Y., Akaike, A., Satoh, M., Alpha2-adrenoceptor-mediated inhibition of capsaicin-evoked release of glutamate from rat spinal dorsal horn slices, 137
Urban L., see Thompson, S.W.N., 121
Uyemura, K., see Kobayashi, S., 191

Vergoni, A.V., Sandrini, M., Filaferro, M., Bertolini, A., Opening of brain potassium-channels inhibits the ACTH-induced behavioral syndrome in the male rat, 29

Wakisaka, S., Sasaki, Y., Kurisu K., Temporal analysis of neuropeptide Y expression in the rat trigeminal ganglion following peripheral axotomy of the inferior alveolar nerve, 49
Walker, D.W., see Heaton, M.B., 132
Watanabe, M., see Takayama, C., 89
Weinberg, H., see Cheyne, D., 81
Williams, I.K., see Premachandra, B.N., 65
Wilson, L.R., see Inglis, J.T., 97

Yamada, M., see Iwanaga, K., 147
Yamakura, T., Sakimura, K., Shimoji, K., Mishina, M., Effects of propofol on various AMPA-, kainate- and NMDA-selective glutamate receptor channels expressed in *Xenopus* oocytes, 187
Yamanaka Y., see Obata, T., 13
Yao, H., see Nakane, H., 151
Yuan, D., see Kesslak, J.P., 117

Zamanillo, D., Casanova, E., Alonso-Llamazares, A., Ovalle, S., Chinchetru, M.A., Calvo, P., Identification of a cyclic adenosine 3′,5′-monophosphate-dependent protein kinase phosphorylation site in the carboxy terminal tail of human D_1 dopamine receptor, 183
Zeng, Y.-X., see Shirasawa, T., 37